
RODENSTOCK Instruments







The all-new **ALINO**®: Tune up your business

Experience 6 analyses in 1 device

Are you ready for something that suits your business perfectly? Let's have a look at how powerful ALINO® can be.

What's your benefit?

Be competitive and provide added value compared to online stores and competitors.



6 in 1 combination Impress your customers with this ALL-IN-ONE device

Less space

Optimise your

space utilisation



Time saving Auto alignment and auto measurement



Generate regular additional sales and retain customers for the long-term



Cost reduction



Generate an unexpected customer journey! Thanks to the high amount of examinations and analyses, you gain a better informative value for the client. This leads to increased consulting competence and stronger customer loyalty. It also creates trust and your customers will be more satisfied.



More efficient Higher customer circulation = increased frequency of customers

The combination of all product features reduces your investment while providing added value



The ALINO® makes my daily work run much smoother! More benefit for my consumers & less effort for me!



ALINO® simplifies your workflow.

6 in 1 solution

01 Refraction

Having a good starting value for subjective refraction is essential. The QUICK REF MODE supports this even for uncooperative patients.

02 Keratometry

KAI (Kerato-asymmetry index) & KRI (Kerato-regularity index) give the first hint of possible irregularities on the cornea. This supports evaluation of the best vision correction or best-fitting contact lens.

03 Tonometry

The very gentle air puff created by a new generation of air-flow technology means that patients more readily accept the need for regular check-ups of the IOP measurement.

06 Dry Eye

Observe the customers' eye health and evaluate the long-term tolerability of contact lenses.



05 Topography

Various topographic maps support you in carrying out vision screenings, contact lense fittings and in patient education.

04 Pachymetry

Correcting the IOP by measuring the central corneal thickness is essential in interpreting the intraocular pressure.

Take advantage of the combination of tests:

Additional services

Tonometry + Pachymetry

Contact lens fitting and tolerance control

Keratometry + Topography + Dry Eye

Eye healthcare

Topography + Tonometry + Pachymetry + Dry Eye





Specifications

DEEDAGTIVE DOWED MEACHDEMENT

REFRACTIVE POWER MEASUREME	NT	
Spherical refractive power (S)	-30.00 D to +25.00 D (at VD = 12.0 mm)	
Cylindrical power (C)	0.00 D to ±12.50 D (at VD = 12.0 mm)	
Astigmatic axis (A)	0° to 180°	
KERATOMETRY MEASUREMENT		
Corneal curvature radius	5.00 mm to 13.00 mm	
Corneal astigmatic axis	0° to 180°	
INTRAOCULAR PRESSURE MEASUREMENT		
Measurement range	1 mmHg to 60 mmHg (1 hPa to 80 hPa)	
PACHYMETRY MEASUREMENT		
Measurement range	300 µm to 800 µm	
TOPOGRAPHY MEASUREMENT		
Corneal curvature radius	5.50 mm to 10.00 mm	
Corneal astigmatic axis	0° to 180°	
AUXILIARY FUNCTION		
Interpupillary distance	Measurement range: 20 mm to 85 mm	
Corneal diameter and pupil diameter	Measurement range: 1.00 mm to 14.00 mm	
Dry Eye observation	Blinking analysis, Tear meniscus height, Hyperaemia, Meibomian glands	

DATA MANAGEMENT	10 10 10 10 10 10 10 10 10 10 10 10 10 1
Internal database	Integrated SD card
Printer	Integrated thermal printer
Data output type	$3 \times$ USB 2.0, $1 \times$ LAN, $1 \times$ SD card slot, $1 \times$ WLAN
Export format	CSV, XML, JPG, PDF

DIMENSIONS & ELECTRIC REQUIREMENTS	
Dimensions WDH	312 × 491 × 450 mm
Weight	Approx. 23 kg
Voltage	100 VAC to 240 VAC
Frequency	50/60 Hz
Power consumption	110 VA

RODENSTOCK Instruments


Wiesbadener Strasse 21 90427 Nürnberg, Germany Phone +49 (0)911 938 546 2777 Fax +49 (0)911 938 546 220 info@rodenstock-instruments.de www.rodenstock-instruments.de


Rodenstock Instruments is a business unit of Tomey GmbH



Dry Eye observation software

The combination of 4 examinations gives a detailed impression of the patients' ocular surface. Observe the blinking frequency, tear meniscus height, Hyperemia and Meibomian glands by using only one medical device.






Blinking frequency

Tear meniscus height







Hyperemia

Meibomian glands


Topography analysis software





Dual map axial

Dual map instantaneous





Single map

Fourier analysis